

Material Safety Data Sheet

Synthetic Multi-Viscosity Hydraulic Oil ISO-22, Synthetic Multi-Viscosity Hydraulic Oil ISO-32, Synthetic Multi-Viscosity Hydraulic Oil ISO-46

Section 1. Product and company identification

Date : 03/28/2012

Version: 1.2

Product name

Synthetic Multi-Viscosity Hydraulic Oil ISO-22, Synthetic Multi-Viscosity Hydraulic Oil ISO-32, Synthetic Multi-Viscosity Hydraulic Oil ISO-46

Material uses

Lubricating oil.

Supplier/Manufacturer

AMSOIL INC. 925 Tower Avenue Superior, WI 54880

Code

HVG, HVH, HVI

MSDS authored by

AMSOIL INC.

In case of emergency

CHEMTREC, U.S.: 1-800-424-9300 International: +1-703-527-3887

Section 2. Hazards identification

Emergency overview

Color : Straw.

Physical state : Liquid.

Odor : Mild hydrocarbon.

Hazard statements : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN

THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Precautions : No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin

and clothing.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

Routes of entry: Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.Skin: No known significant effects or critical hazards.Eyes: No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.

1/7 Date of issue : 03/28/2012

Synthetic Multi-Viscosity Hydraulic Oil ISO-22, Synthetic Multi-Viscosity Hydraulic Oil ISO-32, Synthetic Multi-Viscosity Hydraulic Oil ISO-46

Skin

: No specific data.

Eyes

: No specific data.

Medical conditions aggravated by over: None known.

exposure

See toxicological information (Section 11)

Section 3. Composition/information on ingredients

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4. First aid measures

Eye contact

: Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.

Skin contact

: After contact with skin, wash immediately with plenty of soap and water. Get medical attention if symptoms occur.

Inhalation Ingestion

: Move exposed person to fresh air. Get medical attention if symptoms occur.

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 5. Fire-fighting measures

Flammability of the product

Extinguishing media

Suitable

Not suitable

Hazardous decomposition products

Special protective equipment for fire-fighters : No specific fire or explosion hazard.

: Use an extinguishing agent suitable for the surrounding fire.

: None known.

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide

: No special protection is required.

Section 6. Accidental release measures

Personal precautions

: Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill

: Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose via a licensed waste disposal contractor.

> **Date of issue** : 03/28/2012 2/7

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Section 7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Avoid contact with used product. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m3; STEL: 10 mg/m3.

Consult local authorities for acceptable exposure limits.

procedures

Recommended monitoring: Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Respiratory

: Not required under normal conditions of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Not required under normal conditions of use. Use gloves appropriate for work or task being performed.

Eyes

: Not required under normal conditions of use. Safety eyewear should be used when there is a likelihood of exposure. Recommended: Safety glasses with side shields.

Skin

: No special protective clothing is required.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

> **Date of issue** : 03/28/2012 3/7

: Not available.

Section 9. Physical and chemical properties

Physical state : Liquid. Odor : Mild hydrocarbon. Color : Straw. Hq : Not available. : Not available.

: Open cup: 224 to 246°C (435.2 to 474.8°F) Flash point **Auto-ignition**

[Cleveland.] temperature

Flammable limits : Not available. **Melting point/** : -49 to -44°C (-56.2 to -47.2°F) **Pour point**

Solubility

Boiling point : Not available. Vapor pressure : Not available. : 0.8418 to 0.8509 **Relative density** Vapor density : Not available. : Not available. : Not available. **Volatility Evaporation rate**

: Kinematic: 0.052 to 0.085 cm²/s (5.2 to **Viscosity**

8.5 cSt) (100°C)

Kinematic: 0.236 to 0.467 cm²/s (23.6 to

: The product is stable.

46.7 cSt) (40°C)

Section 10. Stability and reactivity

Conditions to avoid : No specific data.

Reactive or incompatible with the following materials: oxidizing materials. Materials to avoid

: Under normal conditions of storage and use, hazardous decomposition products should **Hazardous decomposition** not be produced. products

Possibility of hazardous : Under normal conditions of storage and use, hazardous reactions will not occur. reactions

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Acute toxicity

Chemical stability

There is no data available.

Chronic toxicity

There is no data available.

Irritation/Corrosion

Skin : There is no data available. There is no data available. **Eyes**

: There is no data available. Respiratory

Sensitizer

: There is no data available. Skin : There is no data available. Respiratory

Carcinogenicity

There is no data available.

Mutagenicity

There is no data available.

Date of issue : 03/28/2012

4/7

Teratogenicity

There is no data available.

Reproductive toxicity

There is no data available.

Section 12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic ecotoxicity

There is no data available.

Persistence/degradability

There is no data available.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT/TDG/IMDG/IATA: Not regulated.

Section 15. Regulatory information

United States

HCS Classification

U.S. Federal regulations

: Not regulated.

: United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Water Act (CWA) 307: Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts; Cadmium; Arsenic; Lead; Naphthalene

Clean Water Act (CWA) 311: Naphthalene

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

5/7 Date of issue : 03/28/2012

Synthetic Multi-Viscosity Hydraulic Oil ISO-22, Synthetic Multi-Viscosity Hydraulic Oil ISO-32, Synthetic Multi-Viscosity Hydraulic Oil ISO-46

Clean Air Act Section 602 : Not listed

Class I Substances

: Not listed

Class II Substances

Clean Air Act Section 602

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

DEA List II Chemicals

(Essential Chemicals)

: Not listed

State regulations

Massachusetts : None of the components are listed. **New York** : None of the components are listed.

New Jersey : The following components are listed: Distillates (petroleum), hydrotreated heavy

paraffinic

Pennsylvania

: None of the components are listed.

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive		Maximum acceptable dosage level
Cadmium	Yes.	Yes.	0.05 μg/day (inhalation)	4.1 μg/day (ingestion)
Arsenic	Yes.	No.	0.06 µg/day (inhalation)	No.
Lead	Yes.	Yes.	15 μg/day (ingestion)	Yes.
Ethyl acrylate	Yes.	No.	No.	No.
Naphthalene	Yes.	No.	Yes.	No.

Canada

WHMIS (Canada) : Not controlled under WHMIS (Canada).

Canadian lists

Canadian NPRI : None of the components are listed. None of the components are listed. **CEPA Toxic substances**

 Not determined. Canada inventory

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.


Section 16. Other information

United States

Label requirements

: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks
Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Date of issue : 03/28/2012
Date of previous issue : 01/30/2012

Version : 1.2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 03/28/2012