

Material Safety Data Sheet

Severe Gear® SAE 190, SAE 250 Synthetic Extreme Pressure Lubricant

Section 1. Product and company identification

Product name

Severe Gear® SAE 190, SAE 250 Synthetic Extreme Pressure Lubricant

Material uses

Lubrication oil.

Supplier/Manufacturer

AMSOIL INC. 925 Tower Avenue Superior, WI 54880 Code

SRN, SRT

MSDS authored by

AMSOIL INC.

In case of emergency

CHEMTREC: (800) 424-9300

Section 2. Hazards identification

Emergency overview

Color : Green.

Physical state : Liquid. [Fluid.]

Odor : Aromatic hydrocarbon.

Hazard statements : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN

THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

1/6

Potential acute health effects

Inhalation
 Ingestion
 No known significant effects or critical hazards.
 Skin
 No known significant effects or critical hazards.
 Eves
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects
 Carcinogenicity
 Mo known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.Medical conditions: None known.

aggravated by over-

exposure

Date of issue : 04/30/2011

1 - 5

See toxicological information (Section 11)

Bis(2-ethylhexyl) hydrogen phosphate

Name

Section 3. Composition/information on ingredients

United States

Name
Bis(2-ethylhexyl) hydrogen phosphate

Canada

CAS number %
298-07-7 1 - 5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4. First aid measures

Eye contact : Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids.

Skin contact: After contact with skin, wash immediately with plenty of soap and water.

Inhalation : Move exposed person to fresh air.

Ingestion : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

CAS number

298-07-7

Notes to physician : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Section 5. Fire-fighting measures

Flammability of the product : No specific fire or explosion hazard.

Extinguishing media

Suitable: Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Hazardous decomposition : Decomposition products may include the following materials: carbon dioxide

carbon monoxide

Special protective : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions : Put on appropriate personal protective equipment (see Section 8).

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill
 Absorb with an inert dry material and place in an appropriate waste disposal container.
 Dispose of via a licensed waste disposal contractor.

2/6 Date of issue : 04/30/2011

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Section 7. Handling and storage

Handling

: Put on appropriate personal protective equipment. Avoid contact with used product. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Avoid contact with eyes, skin and clothing. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m3; STEL: 10 mg/m3.

Consult local authorities for acceptable exposure limits.

procedures

Recommended monitoring: Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Hygiene measures

: Ensure that eyewash stations and safety showers are close to the workstation location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Respiratory

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

Hands

: Use gloves appropriate for work or task being performed. Recommended: Natural rubber (latex).

Eyes

: Safety eyewear should be used when there is a likelihood of exposure. Recommended: Safety glasses with side shields.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. No special protective clothing is required. Recommended: Coveralls.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

> Date of issue : 04/30/2011 3/6

Section 9. Physical and chemical properties

: Liquid. [Fluid.] : Aromatic hydrocarbon. **Physical state** Odor

: Not available. Color : Green. Ha : Open cup: 216 to 224°C (420.8 to 435.2°F) Flash point **Auto-ignition** : Not available.

> [Cleveland.] temperature

: Not available. **Melting point/** : -29 to -27°C (-20.2 to -16.6°F) Flammable limits

Pour point Boiling point : Not available.

Vapor pressure : Not available. : Not available. : 0.8888 to 0.8894 Relative density Vapor density : Not available. : Not available. Volatility **Evaporation rate** : Not available.

Viscosity : Kinematic: 0.382 to 0.469 cm²/s (38.2 to **Solubility**

46.9 cSt) (100°C)

Kinematic: 3.816 to 4.938 cm²/s (381.6 to

493.8 cSt) (40°C)

Section 10. Stability and reactivity

Chemical stability : The product is stable.

Conditions to avoid : No specific data. Materials to avoid

: Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced. products

Possibility of hazardous : Under normal conditions of storage and use, hazardous reactions will not occur. reactions

: Under normal conditions of storage and use, hazardous polymerization will not occur. **Hazardous polymerization**

Section 11. Toxicological information

: No specific data. **Acute toxicity Chronic toxicity** : No specific data.

Section 12. Ecological information

Environmental effects : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled

material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

4/6 Date of issue : 04/30/2011 Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT/TDG/IMDG/IATA: Not regulated.

Section 15. Regulatory information

United States

HCS Classification: Not regulated.

U.S. Federal regulations : United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No

products were found.

Clean Water Act (CWA) 307: Ethylbenzene

Clean Water Act (CWA) 311: Xylene; Ethylbenzene

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: None of the components are listed.Pennsylvania: None of the components are listed.

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

 Ingredient name
 Cancer
 Reproductive
 No significant risk level
 Maximum acceptable dosage level

Ethylbenzene Yes. No. 41 µg/day (ingestion) No.

54 μg/day (inhalation)

Canada

WHMIS (Canada) : Not controlled under WHMIS (Canada).

Canadian lists : CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: The following components are listed: White mineral oil (petroleum)

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

Canada inventory : Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

5/6 Date of issue : 04/30/2011

International lists

: Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined.

Japan inventory: Not determined. **Korea inventory**: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.


Section 16. Other information

United States

Label requirements

: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Date of issue : 04/30/2011 Date of previous issue : 11/01/2010

Version : 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

6/6

Date of issue : 04/30/2011